

Adding Text, Headings and Images to the Home Page



Gill Cleeren

CTO XPIRIT BELGIUM

@gillcleeren www.snowball.be



Overview



Working with headings

Adding paragraphs

Styling text

Adding images



Working with Headings



Headings are used to create sections in our HTML content



Headings

6 Different Headings Are Included

index.html

```
<h1>Heading 1</h1>
```

```
<h2>Heading 2</h2>
```

```
<h3>Heading 3</h3>
```

```
<h4>Heading 4</h4>
```

```
<h5>Heading 5</h5>
```

```
<h6>Heading 6</h6>
```

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6




HTML Headings

Only use a single `<h1>` on a page

Important for accessibility



Demo



Creating headings

Exploring the headings in the browser



Creating Paragraphs




```
<p>
```

```
    For many years, Bethany has been baking the most delicious pies at her home.  
    In 2013, we opened our first store.
```

```
</p>
```

Creating a Paragraph



```
<p>
```

```
For many years, Bethany has been baking the most delicious pies at her home.
```

```
<br>
```

```
In 2013, we opened our first store.
```

```
</p>
```

Adding a Line Break

**
** is an empty tag






Just ignore it!

The browser doesn't use spaces,
line breaks, or tabs you use
in your HTML



Demo



Adding content



Styling Text



b and i

For many years, **Bethany** has been baking the most delicious pies at her home. In 2013, we opened our first store in *Brussels (Belgium)* in a cosy little street near the Grand Market.

Text Tags

``

`<code>`

`<kbd>`

``

`<samp>`

`<var>`



Styling Paragraphs

```
<p align="center">  
  <h2 align="left">Our history</h2>  
</p>
```





Using Styles

Styles are the way to go to add style attributes

Can be done in several ways



```
<h1 style="font-size:40px;color:#a593c2">Welcome to Bethany's Pie Shop</h1>
```

Using the Style Attribute



Using the <style> Tag

index.html

```
<head>
```

```
<style>
```

```
body {
```

```
    margin-top: 0px;
```

```
    margin-left: auto;
```

```
    margin-right: auto;
```

```
}
```

```
#mainheader {
```

```
    background-color: #a593c2;
```

```
    font-size: 40px;
```

```
}
```

```
</style>
```

```
</head>
```

Using a Stylesheet

index.html

```
<head>
  <link rel="stylesheet"
        href="styles.css">
</head>
```

styles.css

```
body {
    margin-top: 0px;
}

#mainheader {
    background-color: #a593c2;
}
```

Demo



Styling our text



Adding Images





img tag

- ``
- src is required
- alt is used for alternative text

Demo



Adding a first image



Summary




Heading are used to create sections

p is used for paragraphs

Content is often styled using styles





Up next:
Creating the page layout

